Quarterly Progress Report

June 2024

Project Title

Sediment Mercury Concentrations in the Closed Area of Lavaca Bay and the Risk to Wildlife from Mercury Remobilization During Dredging

Contract # 041

Submitted to

Matagorda Bay Mitigation Trust

Principal Investigator

Jessica Dutton, Ph.D.

Department of Biology, Texas State University, San Marcos, TX

Co-Principal Investigator

Lindsay Prothro, Ph.D.

Department of Physical and Environmental Sciences, Texas A&M University – Corpus Christi. Corpus Christi, TX

Prepared by

Jessica Dutton, Ph.D.

Project Summary

The Closed Area of Lavaca Bay is a mercury (Hg) Superfund site that is undergoing long-term environmental monitoring. The proposed Matagorda ship channel expansion project will dredge in the Closed Area and could remobilize Hg stored in sediment back into the bay. This study will investigate how sediment Hg concentrations vary with depth throughout the proposed dredging area and undertake lab-based toxicity and bioaccumulation experiments to determine whether the Hg-rich sediment is toxic to benthic organisms. Agencies can use the data to make informed decisions about how to dredge and dispose of the Hg-rich sediment to minimize its environmental impact.

Project Goals and Objectives

The goal of this project is to investigate sediment Hg concentrations in the Closed Area of Lavaca Bay (with a focus on the area that will be dredged) and determine whether sediment Hg concentrations are high enough to pose a threat to the health of benthic organisms if Hg is remobilized during the proposed dredging activities. This study can be broken down into six objectives:

Objective 1: Investigate how THg concentrations change with sediment depth to determine 1) at what depth the greatest THg concentrations are found; 2) how thick the Hg layer is; and 3) how THg concentrations vary spatially throughout the Closed Area.

Objective 2: Map the bay floor and investigate the relationship between sediment THg concentrations and sediment characteristics (grain size and organic matter content).

Objective 3: Use radioisotopes (²¹⁰Pb and ¹³⁷Cs) to create sediment age-depth profiles and determine sedimentation rates.

Objective 4: Speciate THg in the surface and Hg layer sediment to determine the MeHg concentration and percent MeHg and determine the bacterial composition of the sediment.

Objective 5: Calculate how much Hg could potentially be released into Lavaca Bay from the proposed dredging activities.

Objective 6: Determine whether sediment Hg concentrations are high enough to cause toxicity to benthic organisms (polychaete worms, amphipods, bivalves, gastropods) using laboratory-based toxicity tests and bioaccumulation experiments.

Project Update

The following was completed this quarter:

Objective 1

All sediment cores for this project have now been collected. 32 cores were collected in June 2023 and 28 cores were collected in May 2024. In 2023, 27 of the cores were collected next to the ship channel where the proposed dredging will occur; the rest were collected around Dredge Island. In 2024, 10 of the cores were collected next to the ship channel and the remaining 18 cores were collected around Dredge Island and next to the Alcoa plant and Witco marsh. All the 2024 cores were sectioned into 2 cm depth intervals. Each depth interval will be subsampled for the different analyses.

For each year, the following has been completed:

2023

- Number of cores subsampled for the different analyses = 32
- Number of cores that have been freeze dried = 22
- Number of cores that have had the Hg concentration measured in each depth interval = 21

2024

- Number of cores subsampled for the different analyses = 17
- Number of cores that have been freeze dried = 4
- Number of cores that have had the Hg concentration measured in each depth interval = 2

Objective 2

- The CHIRP profiling of the Superfund site was completed in June 2024. A field test was run near Harbor Bridge in the Corpus Christi ship channel to determine the proper configuration of the sub-bottom profiling system for data collection prior to data collection in Lavaca Bay. This was to confirm that the GNSS receiver and the sub-bottom profiling system could successfully interface and incorporate navigation data. Along and across the axis of greater Lavaca Bay, Cox Bay, and Keller Bay, we collected seven long profiles to demonstrate the regional sub-bottom characteristics of the bay floor. Eight profiles were then collected in the Superfund site (five in the ship channel, two between Alcoa and Dredge Island, and one next to Witco marsh).
- For grain size analysis, Co-PI Prothro's group are preparing the samples for grain size analysis.
- For organic matter content analysis, PI Dutton has set up the muffle furnace and determined the loss on ignition method that will be used to complete the analysis. Analysis has started on the low Hg sediment samples.

Objective 4

• The bacterial composition analysis of the sediment has started. The sediment bacterial composition is being investigated in 10 cores collected in 2023. For each core, depending on the thickness of the Hg layer, between five and 11 different depths are being investigated. In total, there are 68 samples being analyzed.

Goals for the Next Quarter

- Continue to dry and measure the Hg concentrations in the sediment cores (Objective 1)
- Interpret the CHIRP profiles (Objective 2)
- Continue the grain size analysis and organic matter content analysis (Objective 2)
- Select cores and depth intervals to be aged using radioisotopes (²¹⁰Pb and ¹³⁷Cs) (Objective 3)
- Complete the bacterial composition analysis (Objective 4)
- Speciate the Hg in the sediment to determine the percent that is methylmercury (MeHg) (Objective 4)